



TOWN OF EAST HAMPTON
159 PANTIGO ROAD
EAST HAMPTON, NEW YORK 11937
Citizens' Advisory Committee for East Hampton and Sag Harbor

Carla Caccamise Ash
Prudence Carabine
JB DosSantos
Arline Gidion
Jola Marcario
Mary Ella Moeller

Katy Casey, Chair
Ed Geus, Vice Chair
Anthony Liberatore, Secretary
Peter Van Scoyoc, Town Board Liaison

Date: April 2, 2018 6:00PM

Present: Carla Caccamise Ash, JB DosSantos, Ed Geus, Anthony Liberatore, Jola Marcario, Mary Ella Moeller & Peter Van Scoyoc

Next Meeting: May 7, 2018 at 6:00PM – Town Hall

Old Business

New Senior Center Planning/Edith R. Parsons Recreation Area

No new updates. Peter Van Scoyoc re-iterated commitment to maintaining an outdoor space dedicated to Edith R. Parsons.

The Dunes

ZBA hearing now scheduled for May 15th at 6:30pm.

CDCH Building

There was a brief discussion about the possible uses for the old CDCH building if it were to become available.

West Drive

There was a discussion about the large dirt piles on West Drive. Code Enforcement and the Fire Marshall investigated. Apparently there are neither setback requirements nor are there any height restrictions because it is materials stored on site.

New Business

Paving of Rt. 114:

Fred Thiele was able to get the Highway Commissioner to agree to repaving 8 sections of 114 with the most damage and to include a full repaving of Rt. 114 in the 5-year plan.

Trestles:

The committee discussed the recent cutting of trees around the trestle sites in the Village. Peter Van Scoyoc mentioned that the new trestle is 130' long and they are discussing ways to actually deliver the trestle including via barge. One committee member pointed out that the higher trestles will allow more trucks to drive down roads that were previously inaccessible and will impact the residents on Accabonac and Town Lane road (and other similar roads near the trestles). Completion date is unknown.

Water Quality:

A committee member asked if there had been any testing of wells north of the airport in the East Hampton catchment area. Peter Van Scoyoc replied that some wells had tested and had come back negative. In addition there are 8 water profile wells, which check direction, and rate of flow, which illustrate the flow is southerly.

Topics For Next Meeting:

Adjourned: 6:38 pm – Mary Ella Moeller Motioned and JB DosSantos Seconded. Motion Carried.

Next Meeting: Monday May 7, 2018 at 6:00PM - Town Hall